



AKSAV

AKTİF SAVUNMA SAN. VE TİC. LTD. ŞTİ.



Since 2015, As an Aktif Savunma Sanayi ve Ticaret Limited Şirketi (AKSAV), We aim to be a well-known and sought-after company in the world market and produce technology and original products in the Pyrotechnic. With this understanding as Aktif Savunma Sanayi ve Ticaret Limited Şirketi (AKSAV), we produce pyrotechnic products which are used in the prevention of riot events.

Our company is also the supplier of single and multi-shot, 37/38mm and 40mm launchers, which are used to prevent riots. One of Turkey’s most respected institutions “The Scientific and Technological Research Council of Turkey” (TUBITAK) helped us to improve our level of technical knowledge and capability to let us reach our goals.

Our products are subject to challenging tests and our goal is to obtain the highest quality product. As a result of this extraordinary work, our products have been welcomed by Security Forces in many countries worldwide and have begun to receive intensive demands.

We also aim to meet the products they need to prevent and detect security forces and riot events and increase the product range by providing continuity in R&D activities.

S/N	Product Name	Pg
1	Our products	4-5
2	37/38-40 mm Launchers	6-7
3	37/38 mm Cartridges	8-11
4	40 mm Cartridges	12-15
5	Smoke Grenade, Triple Action - CS Smoke (PE)	16
6	Random Motion Smoke Grenade – Cs and Blast Dispersion Grenade - CS Powder (PE)	17-18
7	Flash Bang” Distraction Grenade, 37/38-40 mm Sound and Light Flare (Flash Bang)	19-21
8	Smoke Cartridge (Colored) 37/38-40mm (AL)	22-23
9	Color smoke grenade (PE)	24
10	Color Smoke Hand Grenade (AL)	25
11	Color Smoke - HC Smoke and Vehicle smoke mortar	26-27
12	Red, Green and White Signal Cartridge 37/38 - 40- 26 mm (AL)	28-30
13	Foam Baton Cartridge (3) - 37/38-40 mm (AL)	31-32
14	Rubber Ball Cartridge 37/38- 40 mm (AL)	33-36
15	12 Gauge Impact Munitions - Rubber Balls (3/9)	37-38
16	Tranining Hand Grenade (AL)	39
17	68 Cal Anti Riot Gun , OC Pepper Ball & Plastic Ball Without OC	40
18	Pepper Spray 100/ 400 ml	41-42
19	Refillable Back Tube & OC Pepper Spray Solution	43
20	Robocop	44-45



**Telescopic Stock
(AKSARGB40T-1)**



**Telescopic Stock
(AKSARGO40T-1)**



**Foldable Stock
(AKSARGB40F-1)**



**Foldable Stock
(AKSARGO40T-1)**



**Pump action
AKSPALB40T-6**



**Pump action
AKSPALO40T-6**



**Semi Auto
AKSSLB40T-6**



**Semi Auto
AKSSLO40T-6**



 AKSAV CS MULTI-SMOKE PROJECTILE 37/38 mm	 AKSAV CS MULTI-SMOKE PROJECTILE 37/38 mm	 AKSAV CS MULTI-SMOKE PROJECTILE 37/38 mm	 AKSAV CS MULTI-SMOKE PROJECTILE 40 mm	 AKSAV CS MULTI-SMOKE PROJECTILE 40 mm	 AKSAV CS MULTI-SMOKE PROJECTILE 40 mm	 AKSAV Sound and Light Flare 37/38 - 40 mm
 37/38 - 40 mm	 AKSAV FOAM RUBBER BATONS (9) 37/38 mm	 40 mm	 AKSAV RUBBER BALLS (20/60) 37/38 - 40 mm	 AKSAV RUBBER BALLS (20/60) 37/38 - 40 mm	 RUBBER BALLS 3 BALLS 12 Gauge	 12 Gauge
	 AKSAV FLASHBANG	 AKSAV Flashbang			 AKSAV Flashbang	
 AKSAV Aktif Sav. San. ve Tic. Ltd. Şti. Screening Smoke Can (2 Kg.)						

Description	40 mm single shot launcher	
Caliber	40 mm smooth bore	40 mm rifled barrel
Ammunition	Shoots both 37/38 mm and 40 mm ammo	
Shot Capacity	Single	
Picatinny Rail	4 Picatinny Rails on each side of the barrel (optionally)	
Barrel	307 mm	
Overall Length	Butt extended 704 mm Butt shortened 644 mm	
Weight	Telescopic Stock :2.750 Kg Foldable stock : 2.900 Kg.	
Safety	Trigger Lock & Hammer Lock	



**Telescopic Stock
AKSARGB40T-1**



**Telescopic Stock
AKSARGO40T-1**



**Foldable Stock
AKSARGB40F-1**



**Foldable Stock
AKSARGO40F-1**



Description	40 mm 6 shot launcher with telescopic stock	
Caliber	40 mm smooth bore	40 mm rifled barrel
Ammunition	Shoots both 37/38 mm and 40 mm ammo	
Shot Capacity	6 shots	
Picatinny Rail	4 Picatinny Rails on each side of the barrel (optionally)	
Barrel	255 mm	
Overall Length	Butt extended 805 mm Butt shortened 745 mm	
Weight	Manual : 3.522 Kg Pump action : 4.380 Kg	
Safety	Trigger Lock & Hammer Lock	



**Semi Auto
AKSSLB40T-6**



**Semi Auto
AKSSLO40T-6**



**Pump action
AKSPALB40T-6**



**Pump action
AKSPALO40T-6**



TECHNICAL SPECIFICATION	
Item Code	AKSCS37/38SR-1
Type	Continuous Discharge Smoke, Weatherproof
Discharge	CS Irritant Smoke
Application	Riot and Crowd Control
Projectiles	1, Aluminum Cased
Discharge Time	30 ± 5 seconds
Cartridge Material	Aluminum
Length Overall	105±1 mm
Diameter	37/38 mm
Overall Weight	170 ± 5 grams
Chemical Weight	80 ± 5 grams
Irritant Agent	20-25 %
Max. Range	100 meters
Launched With	37mm/ 38mm - 40mm Riot Launchers,
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors. Do not fire directly at personnel.



TECHNICAL SPECIFICATION	
Item Code	AKSCS37/38LR-1
Type	Continuous Discharge Smoke, Weatherproof
Discharge	CS Irritant Smoke
Application	Riot and Crowd Control
Projectiles	1, Aluminum Cased
Discharge Time	30 ± 5 seconds
Cartridge Material	Aluminum
Length Overall	106±1 mm
Diameter	37/38 mm
Overall Weight	170 ± 5grams
Chemical Weight	80±5 grams
Irritant Agent	20-25 %
Max. Range	150 meters
Launched With	37mm/ 38mm - 40mm Riot Launchers,
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors. Do not fire directly at personnel.



TECHNICAL SPECIFICATION	
Item Code	AKSCS37/38-3
Type	Multi-Smoke, Weatherproof
Discharge	CS Irritant Smoke
Application	Riot and Crowd Control
Projectiles	3, Aluminum Cased
Discharge Time	25 ± 5 seconds
Cartridge Material	Aluminum
Length Overall	110±1 mm
Diameter	37/38 mm
Overall Weight	185 ± 5 grams
Chemical Weight	80 ±5 grams
Irritant Agent	20-25 %
Max. Range	100 meters
Launched With	37mm/ 38mm - 40mm Riot Launchers,
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors. Do not fire directly at personnel.



TECHNICAL SPECIFICATION	
Item Code	AKSCS37/38-5,
Type	Multi-Smoke, Weatherproof
Discharge	CS Irritant Smoke
Application	Riot and Crowd Control
Projectiles	5, Aluminum Cased
Discharge Time	25 ± 5 seconds
Cartridge Material	Aluminum
Length Overall	140±1 mm
Diameter	37/38 mm
Overall Weight	225 ± 5 grams
Chemical Weight	100±5 grams
Irritant Agent	20-25 %
Max. Range	90 meters
Launched With	37mm/ 38mm - 40mm Riot Launchers,
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors. Do not fire directly at personnel.



TECHNICAL SPECIFICATION	
Item Code	AKSCS40SR-1
Type	Continuous Discharge Smoke, Weatherproof
Discharge	CS Irritant Smoke
Application	Riot and Crowd Control
Projectiles	1, Aluminum Cased
Discharge Time	30 ± 5 seconds
Cartridge Material	Aluminum
Length Overall	108±1 mm
Diameter	40 mm
Overall Weight	188 ± 5 grams
Chemical Weight	90±5 grams
Irritant Agent	20-25 %
Max. Range	100 meters
Launched With	40mm Riot Launcher
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors. Do not fire directly at personnel.



TECHNICAL SPECIFICATION

Item Code	AKSCS40LR-1
Type	Continuous Discharge Smoke, Weatherproof
Discharge	CS Irritant Smoke
Application	Riot and Crowd Control
Projectiles	1, Aluminum Cased
Discharge Time	30 ± 5 seconds
Cartridge Material	Aluminum
Length Overall	109±1 mm
Diameter	40 mm
Overall Weight	188 ± 5 grams
Chemical Weight	90±5 grams
Irritant Agent	20-25 %
Max. Range	150 meters
Launched With	40mm Riot Launcher
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors. Do not fire directly at personnel.



TECHNICAL SPECIFICATION	
Item Code	AKSCS40-3
Type	Multi-Smoke, Weatherproof
Discharge	CS Irritant Smoke
Application	Riot and Crowd Control
Projectiles	3, Aluminum Cased
Discharge Time	25 ± 5 seconds
Cartridge Material	Aluminum
Length Overall	106±1 mm
Diameter	40 mm
Overall Weight	188 ± 5 grams
Chemical Weight	80±5 grams
Irritant Agent	20-25 %
Max. Range	100 meters
Launched With	40mm Riot Launcher
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors. Do not fire directly at personnel.



TECHNICAL SPECIFICATION

Item Code	AKSCS40-5
Type	Multi-Smoke, Weatherproof
Discharge	CS Irritant Smoke
Application	Riot and Crowd Control
Projectiles	5, Aluminum Cased
Discharge Time	25 ± 5 seconds
Cartridge Material	Aluminum
Length Overall	135±1 mm
Diameter	40 mm
Overall Weight	228 ± 5 grams
Chemical Weight	100±5 grams
Irritant Agent	20-25 %
Max. Range	90 meters
Launched With	40mm Riot Launcher
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors. Do not fire directly at personnel.



TECHNICAL SPECIFICATION	
Item Code	AKSCSHGP-3
Type	Hand Grenade, Continuous Discharge Smoke
Construction	Separate on Discharge3 Submunitions,
Discharge	CS Irritant Smoke
Body Material	Plastic (PE)
Diameter	55 ±1mm Body
Fuze Delay	2 ± 0.5 Seconds
Length Overall	145 ± 5 mm
Overall Weight	220 ± 10 grams
Chemical Weight	80 ± 5 grams
Irritant Agent	20-25 %
Discharge Time	25 ±5 Seconds
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors.



TECHNICAL SPECIFICATION	
Item Code	AKSCSHGP-1
Type	Hand Grenade, Continuous Discharge Smoke
Discharge	CS Irritant Smoke
Body Material	Plastic (PE)
Diameter	64 ±1mm Body
Fuze Delay	2 ± 0.5 Seconds
Length Overall	147 ± 5 mm
Overall Weight	270 ±10 grams
Chemical Weight	100±5 grams
Irritant Agent	20-25 %
Discharge Time	25 ±5 Seconds
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors.



TECHNICAL SPECIFICATION	
Item Code	AKSPCSHGP-1
Type	Hand Grenade, Blast Dispersion
Discharge	CS Irritant Micro Pulverize Powder
Body Material	Plastic (PE)
Diameter	47 ± 2mm Body
Fuze Delay	2-0.5 Seconds
Length Overall	145 ± 2 mm
Overall Weight	186 ±5 grams
Chemical Weight	85±5 grams
Irritant Agent	22 %
Discharge Time	Instantaneous
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors.



TECHNICAL SPECIFICATION	
Item Code	AKSFBHGM-1
Type	“Flash Bang” Distraction Device
Grenade Body Material	Aluminium or Steel
Ports	Top and Bottom
Report	Max 180 dB + @ 1.5 meter
Light	Min. 5 Million + Candela
Diameter	43 ± 1mm Body
Fuze Delay	2.0 ± 0.5 Seconds
Length Overall	128 ± 2 mm
Overall Weight	285 ± 10 grams
Warning	Pyrotechnic devices may cause fires. Do not fire directly at personnel.



(Initial Stage)



(Final Stage)



TECHNICAL SPECIFICATION

Item Code	AKSFB37/38M-1
Type	Flash Bang, Weatherproof
Cartridge Material	Aluminium
Projectiles	1, Plastic Body
Report	Max 170 dB + @ 1.5 meter
Light	Max 5 Million + Candela
Diameter	37/38 mm Body
Length Overall	112 mm $\pm$ 2 mm
Overall Weight	155 gr $\pm$ 5
Max. Range	Max 150 meters
Launched With	37mm/ 38mm - 40mm Riot Launchers,
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors. Do not fire directly at personnel.




TECHNICAL SPECIFICATION	
Item Code	AKSFB40M-1
Type	Flash Bang, Weatherproof
Cartridge Material	Aluminium
Projectiles	1, Plastic Body
Report	Max 180 dB + @ 1.5 meter
Light	Max 6 Million + Candela
Diameter	40 mm Body
Length Overall	112 mm $\pm$ 2 mm
Overall Weight	155 gr $\pm$ 5
Max. Range	Max 150 meters
Launched With	40mm Riot Launcher
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors. Do not fire directly at personnel.




TECHNICAL SPECIFICATION

Item Code	AKSM37/38W-1 (White Smoke)
	AKSM37/38G-1 (Green Smoke)
	AKSM37/38B-1 (Blue Smoke)
	AKSM37/38R-1 (Red Smoke)
	AKSM37/38Y-1 (Yellow Smoke)
	AKSM37/38O-1 (Orange Smoke)
	AKSM37/38P-1 (Purple Smoke)
	Weatherproof
Type	Continuous Discharge Smoke
Discharge	White, green, blue, red, yellow, orange and purple smoke
Projectiles	1, Aluminum Cased
Cartridge Material	Aluminium
Diameter	37/38 ±1mm Body
Length Overall	106 ± 1 mm
Overall Weight	170±5 grams
Chemical Weight	80 ± 5 grams
Discharge Time	30±5 Seconds
Launched With	37mm/ 38mm - 40mm Riot Launchers,
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors. Do not fire directly at personnel.



TECHNICAL SPECIFICATION	
Item Code	AKSM40W-1 (White Smoke) AKSM40G-1 (Green Smoke) AKSM40B-1 (Blue Smoke) AKSM40R-1 (Red Smoke) AKSM40Y-1 (Yellow Smoke) AKSM40O-1 (Orange Smoke) AKSM40P-1 (Purple Smoke) Weatherproof
Type	Continuous Discharge Smoke
Discharge	White, green, blue, red, yellow, Orange and purple smoke
Cartridge Material	Aluminium
Diameter	40 ±1mm Body
Length Overall	112 ± 5 mm
Overall Weight	190 ±5 grams
Chemical Weight	90 ± 5 grams
Discharge Time	30±5 Seconds
Launched With	40mm Riot Launcher
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors. Do not fire directly at personnel.



TECHNICAL SPECIFICATION		
Item Code	AKSMHGP/G-1 AKSMHGP/R-1 AKSMHGP/W-1 AKSMHGP/Y-1	AKSMHGP/B-1 AKSMHGP/O-1 AKSMHGP/P-1
Type	Hand Grenade, Continuous Discharge Smoke	
Discharge	Color Smoke (Green, red white, yellow, blue, orange and purple)	
Body Material	Plastic (PE)	
Diameter	64 ± 1 mm Body	
Fuze Delay	2 ± 0.5 Seconds	
Length Overall	146 ± 2 mm	
Overall Weight	270±10 grams	
Chemical Weight	90 ± 10 grams	
Min. Discharge Time	50 ±10 Seconds	
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors.	



TECHNICAL SPECIFICATION		
Item Code	AKSMHGM/G-1	AKSMHGM/B-1
	AKSMHGM/R-1	AKSMHGM/O-1
	AKSMHGM/W-1	AKSMHGM/P-1
	AKSMHGM/Y-1	
Type	Hand Grenade, Continuous Discharge Smoke	
Discharge	Color Smoke (Green, red, white, yellow, blue, orange and purple)	
Body Material	Aluminum	
Diameter	65 ± 2 mm Body	
Fuze Delay	2.0 ± 0.5 Seconds	
Length Overall	146 ± 2 mm	
Overall Weight	300 ± 10 grams	
Chemical Weight	90 ± 10 grams	
Min. Discharge Time	50 ±10 Seconds	
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors. Do not fire directly at personnel.	



TECHNICAL SPECIFICATION	
Item Code	AKSMBHCM-2
Type	Hand Grenade, Continuous Discharge Smoke
Discharge	Dense Grey Smoke
Body Material	Tin
Diameter	93.5 ± 1 mm Body
Delay	1 ± 0.5 Sec.
Length Overall	154 ± 5 mm
Overall Weight	2000 ± 200 grams
Chemical Weight	1750 ± 50 grams
Min. Discharge Time	4.30 min.
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors. Do not fire directly at personnel.



TECHNICAL SPECIFICATION	
Item Code	AKSSGHCM-76
Type	White smoke cartridge, Continuous Discharge Smoke
Discharge	White smoke
Body Material	Aluminium
Diameter	73 ±1mm Body
Length Overall	165 ± 2 mm
Overall Weight	1175 ± 25 grams
Chemical Weight	825 ± 25 grams
Discharge Time	100 ± 10 Seconds



TECHNICAL SPECIFICATION	
Item Code	AKSSC37/38M-R (Red)
	AKSSC37/38M-G (Green)
	AKSSC37/38M-W (White)
Type	Signal & Search and Rescue
Discharge	Red, Green and White Signal
Body Material	Aluminium
Diameter	37/38 ±1mm Body
Length Overall	106 ± 1 mm
Overall Weight	115 ±5 grams
Signal Time	5 ±1 Sec. (Time of Optional)
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors. Do not fire directly at personnel.



TECHNICAL SPECIFICATION	
Item Code	AKSSC40M-R (Red)
	AKSSC40M-G (Green)
	AKSSC40M-W (White)
Type	Signal & Search and Rescue
Discharge	Red, Green and White Signal
Body Material	Aluminium
Diameter	40 ±1mm Body
Length Overall	106 ± 1 mm
Overall Weight	120 ± 5 grams
Signal Time	6 ± 1 Sec. (Time of Optional)
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors. Do not fire directly at personnel.



TECHNICAL SPECIFICATION	
Item Code	AKSSC26M-R (Red)
	AKSSC26M-G (Green)
	AKSSC26M-W (White)
Type	Red, blue and green Signal Cartridge
Applications	Signal & Search and Rescue
Discharge	Red, Green and White Signal
Body Material	Aluminium
Diameter	26 ±1mm Body
Length Overall	78 ± 3 mm
Overall Weight	55 ±5 grams
Signal Time	4 ± 1 Sec. (Time of Optional)
Warning	Pyrotechnic devices may cause fires. Product should only be used outdoors. Do not fire directly at personnel.



TECHNICAL SPECIFICATION	
Item Code	AKSRF37/38-3
Type	Multiple baton
Projectile	Foam rubber batons
Projectile Quantity	3
Hardness	50 Shore
Projectile Weight	27-28 grams
Velocity	95 ± 5 mps
Length overall	106 ± 2 mm
Diameter	38 mm
Cartridge Material	Aluminum
Overall Weight	150 ± 5 grams
Max. Range	50-60 meters
Effective Range	25-30 meters
Launched With	37/38 and 40 mm riot launchers
Warning	Product should only be used outdoors. Fire only at points below the belt line, or serious injury or death may result.



TECHNICAL SPECIFICATION	
Item Code	AKSRF40-3
Type	Multiple baton
Projectile	Foam rubber batons
Projectile Quantity	3
Hardness	50 Shore
Projectile Weight	27-28 grams
Velocity	95 ± 5 mps
Length overall	106 ± 2 mm
Diameter	40 mm
Cartridge Material	Aluminum
Overall Weight	160 ± 5 grams
Max. Range	50-60 meters
Effective Range	25-30 meters
Launched With	40 mm riot launchers
Warning	Product should only be used outdoors. Fire only at points below the belt line, or serious injury or death may result.



TECHNICAL SPECIFICATION

Item Code	AKSRB37/38-20
Type	Cartridge, Rubber Ball
Projectile	15 mm diameter rubber balls
Projectile Quantity	20
Hardness	60 $\pm$ 5 Shore
Projectile Weight	1.5 gr.
Overall Weight	100 $\pm$ 5 gr.
Velocity	95 $\pm$ 5 mps
Length overall	106 mm $\pm$ 1 mm
Diameter	37/38 mm
Cartridge Material	Aluminum
Max. Range	50 meters
Effective Range	25- 30 meters
Launched With	37/38 and 40 mm riot launchers
Warning	Product should only be used outdoors. Fire only at points below the belt line, or serious injury or death may result.



TECHNICAL SPECIFICATION

Item Code	AKSRB37/38-60
Type	Rubber Ball
Projectile	10 mm Diameter Rubber Ball
Projectile Quantity	60
Hardness	60 $\pm$ 5 Shore
Projectile Weight	~ 0.7 grams
Overall Weight	110 $\pm$ 2 gr.
Velocity	95 $\pm$ 5 mps
Length overall	106 mm $\pm$ 1 mm
Diameter	37/38 mm
Cartridge Material	Aluminum
Max. Range	50 meters
Effective Range	25-30 meters
Launched With	37/38 and 40 mm riot launchers
Warning	Product should only be used outdoors. Fire only at points below the belt line, or serious injury or death may result.



TECHNICAL SPECIFICATION	
Item Code	AKSRB40-20
Type	Rubber Ball
Projectile	15 mm Diameter Rubber Ball
Projectile Quantity	20
Hardness	60 $\pm$ 5 Shore
Projectile Weight	1.5 gr.
Overall Weight	110 mm $\pm$ 1 mm
Velocity	95 $\pm$ 5 MPS
Length overall	109 $\pm$ 2 mm
Diameter	40 mm
Cartridge Material	Aluminum
Max. Range	50 meters
Effective Range	25 – 30 meters
Launched With	40 mm riot launchers
Warning	Product should only be used outdoors. Fire only at points below the belt line, or serious injury or death may result.



TECHNICAL SPECIFICATION

Item Code	AKSRB40-70
Type	Rubber Ball
Projectile	10 mm Diameter Rubber Ball
Projectile Quantity	70
Hardness	60 ± 5 Shore
Projectile Weight	~ 0.7 gr.
Overall Weight	120 ± 5 grams
Velocity	95 ± 5 mps
Length overall	109 mm ± 2 mm
Diameter	40 mm
Cartridge Material	Aluminum
Max. Range	50 meters
Effective Range	25 - 30 meters
Launched With	40 mm riot launchers
Warning	Product should only be used outdoors. Fire only at points below the belt line, or serious injury or death may result.



TECHNICAL SPECIFICATION	
Item Code	AKSRB12-3
Type	Rubber Ball
Calibre	12 Gauge
Projectile	15 mm diameter rubber balls
Projectile Quantity	3
Hardness	80 $\pm$ 5 Shore
Projectile Weight	~ 2.5 grams
Velocity	95 $\pm$ 5 mps
Length overall	~ 62 mm
Overall Weight	18 $\pm$ 2
Shell Case	Plastic
Max. Range	50 meters
Effective Range	30 - 35 meters
Launched With	12 Gauge Shotgun
Warning	Product should only be used outdoors. Fire only at points below the belt line, or serious injury or death may result.



TECHNICAL SPECIFICATION	
Item Code	AKSRB12-9
Type	Cartridge, Rubber Ball
Calibre	12 Gauge
Projectile Quantity	9
Hardness	80 $\pm$ 5 Shore
Projectile Weight	0.5 grams
Overall Weight	14 grams
Velocity	150 $\pm$ 5 mps
Length overall	~ 63 $\pm$ 1 mm
Shell Case	Plastic
Max. Range	50 meters
Effective Range	25 meters
Launched With	12 Gauge Shotgun
Warning	Product should only be used outdoors. Fire only at points below the belt line, or serious injury or death may result.



TECHNICAL SPECIFICATION	
Item Code	AKSTRHGM - 1
Type	Training Grenade
Grenade Body Material	Inner Steel and outer Plastic (PE)
Report	Max :140 dB + @ 1.5 meter
Diameter	58 ± 1mm Body
Fuze Delay	2.0 ± 0.5 Seconds
Length Overall	118 ± 2 mm
Overall Weight	425 ± 5 gr.
Warning	Pyrotechnic devices may cause fires. Do not fire directly at personnel.



TECHNICAL SPECIFICATION

68 Cal OC Pepper Ball

Item Code	AKSOCB-68
Total Capsaicinoid	1-2 %
Total weight	2,5-3,5 gr.
Launched With	68 CAL ANTI RIOT GUN

OC Pepper Ball



AKSOCB - 68

TECHNICAL SPECIFICATION

Item Code	AKSARG-68 Cal
Type	Semi-automatic
Body Material	Light aluminum body
Calibre	68 cal
Magazine capacity	200
Max. Range	80 meters
Effective Range	50 meters
Weight (without Cylinder)	2050 gr.
Used with Air Tank	

Product should only be used outdoors. Fire only at points below the belt line, or serious injury or death may result.



TECHNICAL SPECIFICATION

Item Code	AKSPS-100
Type	Pepper Spray
Diameter (max)	45 mm
Length overall	152 mm
Amount of filling	100 ml
Total Capsaicinoid	0.20 ± 0.03
Effective Range	2-5 meters

100 ml



AKSPS-100

TECHNICAL SPECIFICATION

Item Code	AKSPS-400
Type	Pepper Spray
Diameter (max)	59 ± 1 mm
Length overall	285 ± 5 mm
Amount of filling	400 ml
Total Capsaicinoid	0.20 ± 0.03
Effective Range	2-5 meters

400 ml



AKSPS-400

TECHNICAL SPECIFICATION	
Item Code	AKSOCBT-2
Type	Back Tube
Diameter (max)	100 ± 10 mm
Length overall	400 ± mm
Amount of filling	2 L
WP/TP Pressure	200 / 300 bar
Effective Range	10 meters
Propellant Gas	Nitrogen Gas or Scuba Air



TECHNICAL SPECIFICATION	
Item Code	AKSOCS-10
Type	OC Pepper Spray Solution
Length overall	320 mm
Wide	220 mm
Amount of filling	10 kg
Total Capsaicinoid	0,7-1 %



TECHNICAL SPECIFICATION

It is used to prevent damage from materials that may be thrown at security forces by demonstrators during social events.

Thanks to its structure, it is more flexible and useful than other models.

Robocops do not have ballistic properties.

There is a ballistic plate area on the front and rear interior of the body for optional use.

It provides comfort to the user in bending and collapsing situations thanks to the joint system in the knee protector part.

It is produced in one size. It can be adapted to all size groups.

Thanks to the ribbon columns on the chest part, desired accessories can be attached.

Writing or logo can be applied to the front and back of the chest.

Gloves are used as accessories and are not included in the product.



TECHNICAL SPECIFICATION

It is used to prevent damage from materials that may be thrown at security forces by demonstrators during social events.

Impact protection plates are made of high quality polymer material.

Leg protectors are produced in two sizes.

Robocops do not have ballistic properties.

Gloves are used as accessories and are not included in the product.





AKSAV

AKTİF SAVUNMA SAN. VE TİC. LTD. ŞTİ.



AKTİF SAVUNMA SAN. VE TİC. LTD. ŞTİ
Kemeraltı Caddesi Şefkat İş Merkezi No:1Kat:5
Karaköy - Beyoğlu / İstanbul

Email :aksav@aksav.com.tr
Email :sales@aksav.com.tr
Email :info@aksav.com.tr

Tel :+90 (212) 292 50 16
Ext : (121 - 124 - 136)